



**S5000 | Dimensiones (mm) / Dimensions (mm)**

**S5000 | Dimensiones (mm) / Dimensions (mm)**

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view
<b>S5F</b>	125 160	0		
	200			
	1600 1800		4	

Vista alzada Top view	Mecanización panel Panel drilling	Mecanización panel mando y cerradura Panel drilling for handle and keylock device		Dimensiones (mm) Dimensions (mm)																
		simple / simple	doble / double																	
				<table border="1"> <thead> <tr> <th colspan="2">A</th> <th colspan="2">B</th> <th rowspan="2">ø</th> <th rowspan="2">øT</th> </tr> <tr> <th>3P</th> <th>4P</th> <th>3P</th> <th>4P</th> </tr> </thead> <tbody> <tr> <td>181</td> <td>192</td> <td>53</td> <td>64</td> <td>10</td> <td>M8</td> </tr> </tbody> </table>	A		B		ø	øT	3P	4P	3P	4P	181	192	53	64	10	M8
A		B		ø	øT															
3P	4P	3P	4P																	
181	192	53	64	10	M8															
				<table border="1"> <thead> <tr> <th colspan="2">A</th> <th colspan="2">B</th> <th rowspan="2">ø</th> <th rowspan="2">øT</th> </tr> <tr> <th>3P</th> <th>4P</th> <th>3P</th> <th>4P</th> </tr> </thead> <tbody> <tr> <td>181</td> <td>192</td> <td>53</td> <td>64</td> <td>10</td> <td>M10</td> </tr> </tbody> </table>	A		B		ø	øT	3P	4P	3P	4P	181	192	53	64	10	M10
A		B		ø	øT															
3P	4P	3P	4P																	
181	192	53	64	10	M10															
				<table border="1"> <thead> <tr> <th rowspan="2">ø1</th> <th rowspan="2">øT</th> <th rowspan="2">ø2</th> <th rowspan="2">øT</th> </tr> </thead> <tbody> <tr> <td>14,1</td> <td>M14</td> <td>14,1</td> <td>M14</td> </tr> </tbody> </table>	ø1	øT	ø2	øT	14,1	M14	14,1	M14								
ø1	øT	ø2	øT																	
				14,1	M14	14,1	M14													

S5000 | Dimensiones (mm) / Dimensions (mm)

S5000 | Dimensiones (mm) / Dimensions (mm)

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view					
			<table border="1"> <thead> <tr> <th colspan="2">C H I J <math>\phi</math>T</th> </tr> </thead> <tbody> <tr> <td>250 A</td> <td>50 143 167 25</td> </tr> <tr> <td>315 A</td> <td>50 143 167 25</td> </tr> <tr> <td>400 A</td> <td>65 168 193 35</td> </tr> </tbody> </table>		C H I J $\phi$ T		250 A	50 143 167 25	315 A
C H I J $\phi$ T									
250 A	50 143 167 25								
315 A	50 143 167 25								
400 A	65 168 193 35								
S5B	500 630 800 C	2							
	800 1000 C 1250 C	3							
	1000 1250 1600 1800	4							

Vista alzada Top view	Mecanización panel Panel drilling	Mecanización panel mando y cerradura Panel drilling for handle and keylock device		Dimensiones (mm) Dimensions (mm)										
		simple / simple	doble / double											
				<table border="1"> <thead> <tr> <th colspan="2">A C E F G H I</th> </tr> </thead> <tbody> <tr> <td>250 A</td> <td>190 220</td> </tr> <tr> <td>315 A</td> <td>190 220</td> </tr> <tr> <td>400 A</td> <td>205 235</td> </tr> </tbody> </table>	A C E F G H I		250 A	190 220	315 A	190 220	400 A	205 235		
A C E F G H I														
250 A	190 220													
315 A	190 220													
400 A	205 235													
				<table border="1"> <thead> <tr> <th colspan="2">J L M N O P T <math>\phi</math>T</th> </tr> </thead> <tbody> <tr> <td>500 A</td> <td>25</td> </tr> <tr> <td>630 A</td> <td>285 5 59 375 117 105 M10</td> </tr> <tr> <td>800 C</td> <td>30</td> </tr> </tbody> </table>	J L M N O P T $\phi$ T		500 A	25	630 A	285 5 59 375 117 105 M10	800 C	30		
J L M N O P T $\phi$ T														
500 A	25													
630 A	285 5 59 375 117 105 M10													
800 C	30													
				<table border="1"> <thead> <tr> <th colspan="2">A C E F G H I</th> </tr> </thead> <tbody> <tr> <td>800 A</td> <td>190 220</td> </tr> <tr> <td>1000 C</td> <td>250 290</td> </tr> <tr> <td>1250 C</td> <td>250 290</td> </tr> </tbody> </table>	A C E F G H I		800 A	190 220	1000 C	250 290	1250 C	250 290		
A C E F G H I														
800 A	190 220													
1000 C	250 290													
1250 C	250 290													
				<table border="1"> <thead> <tr> <th colspan="2">I<sub>1</sub> I<sub>2</sub> X <math>\phi</math>1 <math>\phi</math>T <math>\phi</math>2 <math>\phi</math>T</th> </tr> </thead> <tbody> <tr> <td>1000 A</td> <td>381 - - 16,2M16 - -</td> </tr> <tr> <td>1250 A</td> <td>381 - - 16,2M16 - -</td> </tr> <tr> <td>1600 A</td> <td>- 441 40 14,1M14 14,1 M14</td> </tr> <tr> <td>1800 A</td> <td>- 441 40 14,1M14 14,1 M14</td> </tr> </tbody> </table>	I <sub>1</sub> I <sub>2</sub> X $\phi$ 1 $\phi$ T $\phi$ 2 $\phi$ T		1000 A	381 - - 16,2M16 - -	1250 A	381 - - 16,2M16 - -	1600 A	- 441 40 14,1M14 14,1 M14	1800 A	- 441 40 14,1M14 14,1 M14
I <sub>1</sub> I <sub>2</sub> X $\phi$ 1 $\phi$ T $\phi$ 2 $\phi$ T														
1000 A	381 - - 16,2M16 - -													
1250 A	381 - - 16,2M16 - -													
1600 A	- 441 40 14,1M14 14,1 M14													
1800 A	- 441 40 14,1M14 14,1 M14													

CCF - CCP | Dimensiones (mm) / Dimensions (mm)

CCF - CCP | Dimensiones (mm) / Dimensions (mm)

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view	Vista alzada Top view
CCF	200 250 315 400	1			
	500 630 800	2			
	1000 1250	3			

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view	Vista alzada Top view
CCP	200 250 315 400	1			
	500 630 800	2			
	1000 1250	3			

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view
UM	200 250 315 400	T1		
	500 630 800	T2		
	1000 1250 1600 1800	T3		

Mecanización panel Panel drilling	Mecanización panel mando y cerradura Panel drilling for handle and keylock device		Dimensiones (mm) Dimensions (mm)																																	
	simple / simple	doble / double																																		
			3P - 4P																																	
			200 A - 250 A 315 A - 400 A																																	
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th></tr> <tr><td>235</td><td>119,5</td><td>115,5</td><td>25</td><td>5,5</td><td>157</td><td>192</td><td>216</td><td>45</td><td>88</td><td>357</td><td>170</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	235	119,5	115,5	25	5,5	157	192	216	45
A	B	C	D	E	F	G	H	J	K	L	M																									
235	119,5	115,5	25	5,5	157	192	216	45	88	357	170																									
<table border="1"> <tr><th>N</th><th>O</th><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>ø</th><th>øT</th></tr> <tr><td>42</td><td>3</td><td>67</td><td>151</td><td>103</td><td>7</td><td>105</td><td>-</td><td>133</td><td>142</td><td>10,5</td><td>M10</td></tr> </table>													N	O	P	Q	R		S	T	U	V	ø	øT	42	3	67	151	103	7	105	-	133	142	10,5	M10
N	O	P	Q	R		S	T	U	V	ø	øT																									
42	3	67	151	103	7	105	-	133	142	10,5	M10																									
			3P - 4P																																	
			500 A - 630 A 800 A																																	
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th></tr> <tr><td>321</td><td>162</td><td>159</td><td>40</td><td>7</td><td>232</td><td>282</td><td>312</td><td>65</td><td>121</td><td>482</td><td>247</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	321	162	159	40	7	232	282	312	65
A	B	C	D	E	F	G	H	J	K	L	M																									
321	162	159	40	7	232	282	312	65	121	482	247																									
<table border="1"> <tr><th>N</th><th>O</th><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>ø</th><th>øT</th></tr> <tr><td>46</td><td>5</td><td>87</td><td>180</td><td>75</td><td>7</td><td>-</td><td>245</td><td>186</td><td>171</td><td>12,5</td><td>M12</td></tr> </table>													N	O	P	Q	R		S	T	U	V	ø	øT	46	5	87	180	75	7	-	245	186	171	12,5	M12
N	O	P	Q	R		S	T	U	V	ø	øT																									
46	5	87	180	75	7	-	245	186	171	12,5	M12																									
			3P - 4P																																	
			1000 A 1250 A																																	
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th></tr> <tr><td>424</td><td>210</td><td>214</td><td>50</td><td>9</td><td>295</td><td>375</td><td>419</td><td>85</td><td>163</td><td>595</td><td>315</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	424	210	214	50	9	295	375	419	85
A	B	C	D	E	F	G	H	J	K	L	M																									
424	210	214	50	9	295	375	419	85	163	595	315																									
<table border="1"> <tr><th>N</th><th>O</th><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>ø</th><th>øT</th></tr> <tr><td>57</td><td>6</td><td>88</td><td>208</td><td>56</td><td>7</td><td>-</td><td>360</td><td>199</td><td>199</td><td>14,5</td><td>M14</td></tr> </table>													N	O	P	Q	R		S	T	U	V	ø	øT	57	6	88	208	56	7	-	360	199	199	14,5	M14
N	O	P	Q	R		S	T	U	V	ø	øT																									
57	6	88	208	56	7	-	360	199	199	14,5	M14																									

Mecanización panel Panel drilling	Mecanización panel mando y cerradura Panel drilling for handle and keylock device		Dimensiones (mm) Dimensions (mm)																																					
	simple / simple	doble / double																																						
			3P - 4P																																					
			200 A - 250 A 315 A - 400 A																																					
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th><th>N</th><th>O</th></tr> <tr><td>235</td><td>119,5</td><td>115,5</td><td>25</td><td>5,5</td><td>157</td><td>192</td><td>216</td><td>45</td><td>88</td><td>357</td><td>170</td><td>42</td><td>3</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	N	O	235	119,5	115,5	25	5,5	157	192	216	45	88	357
A	B	C	D	E	F	G	H	J	K	L	M	N	O																											
235	119,5	115,5	25	5,5	157	192	216	45	88	357	170	42	3																											
<table border="1"> <tr><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>W</th><th>X</th><th>Y</th><th>ø</th><th>øT</th></tr> <tr><td>3</td><td>151</td><td>103</td><td>7</td><td>105</td><td>-</td><td>133</td><td>142</td><td>32,5</td><td>10</td><td>12</td><td>10,5</td><td>M10</td></tr> </table>													P	Q	R		S	T	U	V	W	X	Y	ø	øT	3	151	103	7	105	-	133	142	32,5	10	12	10,5	M10		
P	Q	R		S	T	U	V	W	X	Y	ø	øT																												
3	151	103	7	105	-	133	142	32,5	10	12	10,5	M10																												
			3P - 4P																																					
			500 A - 630 A 800 A																																					
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th><th>N</th><th>O</th></tr> <tr><td>321</td><td>162</td><td>159</td><td>40</td><td>7</td><td>232</td><td>282</td><td>312</td><td>65</td><td>121</td><td>482</td><td>247</td><td>46</td><td>5</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	N	O	321	162	159	40	7	232	282	312	65	121	482
A	B	C	D	E	F	G	H	J	K	L	M	N	O																											
321	162	159	40	7	232	282	312	65	121	482	247	46	5																											
<table border="1"> <tr><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>W</th><th>X</th><th>Y</th><th>ø</th><th>øT</th></tr> <tr><td>5</td><td>180</td><td>75</td><td>7</td><td>-</td><td>245</td><td>186</td><td>171</td><td>59</td><td>36</td><td>15</td><td>12,5</td><td>M12</td></tr> </table>													P	Q	R		S	T	U	V	W	X	Y	ø	øT	5	180	75	7	-	245	186	171	59	36	15	12,5	M12		
P	Q	R		S	T	U	V	W	X	Y	ø	øT																												
5	180	75	7	-	245	186	171	59	36	15	12,5	M12																												
			3P - 4P																																					
			1000 A 1250 A																																					
			<table border="1"> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th><th>K</th><th>L</th><th>M</th><th>N</th><th>O</th></tr> <tr><td>424</td><td>210</td><td>214</td><td>50</td><td>9</td><td>295</td><td>375</td><td>419</td><td>85</td><td>163</td><td>595</td><td>315</td><td>57</td><td>6</td></tr> </table>													A	B	C	D	E	F	G	H	J	K	L	M	N	O	424	210	214	50	9	295	375	419	85	163	595
A	B	C	D	E	F	G	H	J	K	L	M	N	O																											
424	210	214	50	9	295	375	419	85	163	595	315	57	6																											
<table border="1"> <tr><th>P</th><th>Q</th><th colspan="2">R</th><th>S</th><th>T</th><th>U</th><th>V</th><th>W</th><th>X</th><th>Y</th><th>ø</th><th>øT</th></tr> <tr><td>6</td><td>208</td><td>56</td><td>7</td><td>-</td><td>360</td><td>248</td><td>199</td><td>104,5</td><td>81</td><td>22</td><td>14,5</td><td>M14</td></tr> </table>													P	Q	R		S	T	U	V	W	X	Y	ø	øT	6	208	56	7	-	360	248	199	104,5	81	22	14,5	M14		
P	Q	R		S	T	U	V	W	X	Y	ø	øT																												
6	208	56	7	-	360	248	199	104,5	81	22	14,5	M14																												

T1	max Nxm	A	B	C	D	E	F	G	H
	18	52,5	133	117	150	150	237	380	245
25	52,5	133	117	150	150	237	380	245	

  

T2	max Nxm	A	B	C	D	E	F	G	H
	57	88,5	167	153	184	172	312	455	361
78	88,5	167	153	184	172	312	455	361	

  

T3	max Nxm	A	B	C	D	E	F	G	H
	110	88,5	167	153	184	172	312	455	361
150	88,5	167	153	184	172	312	455	361	

CCF - CCP | Dimensiones (mm) / Dimensions (mm)

CCF - CCP | Dimensiones (mm) / Dimensions (mm)

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view
<b>CCF + UM</b>	200 250 315 400	1		
	500 630 800	2		
	1000 1250	3		

	Dimensiones (mm) Dimensions (mm)																				
200 A - 250 A 315 A - 400 A	3P - 4P																				
	A	B	C	D	E	F	G	H	J	K	L	M									
200 A - 250 A 315 A - 400 A	N	O	P	Q	R	S	T	U	φ	φT											
	235	119,5	115,5	117	5,5	25	192	216	45	88	357	170	42	4	68	238	380	237	133	245	10,5
500 A - 630 A 800 A	3P - 4P																				
	A	B	C	D	E	F	G	H	J	K	L	M									
500 A - 630 A 800 A	N	O	P	Q	R	S	T	U	φ	φT											
	321	162	159	153	7	40	282	312	65	121	482	247	46	5	87	267	455	312	186	360	12,5
1000 A 1250 A	3P - 4P																				
	A	B	C	D	E	F	G	H	J	K	L	M									
1000 A 1250 A	N	O	P	Q	R	S	T	U	φ	φT											
	424	210	214	153	9	50	375	419	85	163	595	315	57	6	88	295	455	312	248	360	14,5

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view
<b>CCP + UM</b>	200 250 315 400	1		
	500 630 800	2		
	1000 1250	3		

	Dimensiones (mm) Dimensions (mm)																								
200 A - 250 A 315 A - 400 A	3P - 4P																								
	A	B	C	D	E	F	G	H	J	K	L	M													
200 A - 250 A 315 A - 400 A	N	O	P	Q	R	S	T	U	V	X	Y	φ	φT												
	235	119,5	115,5	117	5,5	25	192	216	45	45	357	170	42	4	4	238	380	237	133	245	32,5	10	12	10,5	M14
500 A - 630 A 800 A	3P - 4P																								
	A	B	C	D	E	F	G	H	J	K	L	M													
500 A - 630 A 800 A	N	O	P	Q	R	S	T	U	V	X	Y	φ	φT												
	321	162	159	153	7	40	282	312	65	65	482	247	46	5	6	5	267	455	312	186	360	59	36	15	12,5
1000 A 1250 A	3P - 4P																								
	A	B	C	D	E	F	G	H	J	K	L	M													
1000 A 1250 A	N	O	P	Q	R	S	T	U	V	X	Y	φ	φT												
	424	210	214	153	9	50	375	419	85	85	595	315	57	6	8	6	295	455	312	248	360	104,5	81	22	14,5

Serie Series	A Amps	Calibre Size	Vista frontal Front view	Vista lateral Side view
<b>S5F + UM</b>	1600 1800	4		

	Dimensiones (mm) Dimensions (mm)			
1600 A 1800 A	φ1	φT	φ2	φT
	14,1	M14	14,1	M14